

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office APR 04 1997

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed APR 4 1997

\*\*\*\*\*

The applicant DESERT LAWN INCORPORATED, hereby make application for permission to change the POINT OF DIVERSION AND PLACE OF USE OF A PORTION of water heretofore appropriated under PERMIT #42175, CERT #12324

\*\*\*\*\*

1. The source of water is UNDERGROUND
2. The amount of water to be changed .0833 CFS, 50 AC-FT/YR
3. The water to be used for A MEMORIAL PARK (CEMETERY) AND DOMESTIC
4. The water heretofore permitted for A MEMORIAL PARK (CEMETERY) AND DOMESTIC
5. The water is to be diverted at the following point LOCATED WITHIN THE NORTHEAST QUARTER (NE $\frac{1}{4}$ ) OF THE SOUTHEAST QUARTER (SE $\frac{1}{4}$ ) OF SECTION 23, TOWNSHIP 19 SOUTH, RANGE 60 EAST, M.D.M., CLARK COUNTY, NEVADA, FROM WHICH THE SOUTHEAST CORNER OF SAID SECTION 23 BEARS S24° 17' 30"E., 1736.50 FEET.
6. The existing permitted point of diversion is located within THE SOUTHWEST QUARTER (SW $\frac{1}{4}$ ) OF THE NORTHWEST QUARTER (NW $\frac{1}{4}$ ) OF SECTION 12, T.22S, R.61E., M.D.M., CLARK COUNTY, NEVADA, FROM WHICH THE WEST QUARTER (W $\frac{1}{4}$ ) OF SAID SECTION 12 CORNER BEARS: S.62° 53' W., 932.00 FEET.
7. Proposed place of use A PORTION OF THE NORTHEAST QUARTER (NE $\frac{1}{4}$ ) OF THE SOUTHEAST QUARTER (SE $\frac{1}{4}$ ) OF SECTION 23, TOWNSHIP 19 SOUTH, RANGE 60 EAST, M.D.M., CLARK COUNTY, NEVADA.
8. Existing place of use THE SOUTH HALF (S $\frac{1}{2}$ ) OF THE NORTHWEST QUARTER (NW $\frac{1}{4}$ ) OF SECTION 12, TOWNSHIP 22 SOUTH, RANGE 61 EAST, M.D.M., CLARK COUNTY, NEVADA.
9. Use will be from JANUARY 1st to DECEMBER 31st of each year.
10. Use was permitted from JANUARY 1st to DECEMBER 31st of each year.
11. Description of proposed works A 17 $\frac{1}{2}$ " DIAMETER HOLE WITH 8" CASING TO A DEPTH OF 600 FEET, A SUBMERSIBLE PUMP AT 400 FEET AND A DISCHARGE PIPE TO A STORAGE TANK.
12. Estimated cost of works 75,000
13. Estimated time required to construct works 1 YEAR
14. Estimated time required to complete the application of water to beneficial use 1 YEAR
15. Remarks: MEMORIAL PARK (CEMETERY) SALES OFFICE, MAINTENANCE AREA WITH 3 TO 5 ACRES OF LANDSCAPING AND TURF.

By SAM LONG, AGENT  
s/SAM LONG  
2727 S. RAINBOW BLVD.  
LAS VEGAS, NEVADA 89102

Compared my/bk cl/cms

Protested \_\_\_\_\_

63003

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 42175 Certificate 12324 is issued subject to the terms and conditions imposed in said Permit 42175 Certificate 12324 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of this permit reduces the total combined duty of Certificates 12324 and 12325 to 23.25 acre-feet annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0833 cubic feet per second, but not to exceed 50.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

August 25, 1998

Proof of completion of work shall be filed before:

September 25, 1998

Application of water to beneficial use shall be filed on or before:

August 25, 1999

Proof of the application of water to beneficial use shall be filed on or before:

September 25, 1999


Map in support of proof of beneficial use shall be filed on or before:

September 25, 1999

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,  
State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 25th day of August, A.D. 1997

  
State Engineer

Completion of work filed FEB 03 1999

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_